

**D4659-1 BRACKET, LH**


**NOTES:**

- 1) MATERIAL: MAKE FROM D4659-1F
- 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4659-1" AND B/N "BXXXXX" PER QSI 044 6.1
- 7) WEIGHT: 0.25 lbs

**PRELIMINARY ISSUE**

12.06.06

PA2	1.89 WAS 2.09 (ZN C8-1/-2); 2.06 REF WAS 2.26 REF (ZN C3-1/-2); 2.632 WAS 2.832 (ZN C7-3); 0.600 WAS 0.800 (ZN C2-3)	MB	12.06.06
PA1	NEW ISSUE	RP	12.05.14
REV.	DESCRIPTION	BY	DATE
DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED		DRAWING NO.	REV. PA2
MFG. APPR.		<b>D4659</b>	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		<b>BRACKET</b>	NTS
DATE	12.06.06	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



NOTES:


- 1) MATERIAL: MAKE FROM D4659-1F
- 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4659-2" AND B/N "BXXXXX" PER QSI 044 6.1
- 7) WEIGHT: 0.25 lbs

**D4659-2 BRACKET, RH**

**PRELIMINARY ISSUE**

12.06.06

DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED		DRAWING NO. <b>D4659</b>	REV. PA2
MFG. APPR.			SHEET 2 OF 3
APPROVED		TITLE <b>BRACKET</b>	SCALE NTS
DE APPR.		<small><b>COPYRIGHT © 2012 BY DART AEROSPACE LTD</b> THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DATE	12.06.06		



NOTES:  
1) MATERIAL: AISI 304/316 SS SHEET, 0.040 THICK, ANNEALED, 2B FINISH  
PER MIL-S-5059, OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240  
REF DART SPEC M304S20GA  
2) FINISH: NONE  
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED  
4) UNITS: INCHES UNLESS OTHERWISE NOTED  
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX  
6) IDENTIFICATION: N/A  
7) WEIGHT: 0.25 lbs

**PRELIMINARY ISSUE**  
12.06.06

DESIGN	RP	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	RP		
CHECKED		DRAWING NO. <b>D4659</b>	REV. PA2 SHEET 3 OF 3
MFG. APPR.		TITLE <b>BRACKET</b>	SCALE NTS
APPROVED		<b>COPYRIGHT © 2012 BY DART AEROSPACE LTD</b> <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DE APPR.			
DATE	12.06.06		